

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.


62.33 51043?.

A List of Camellia Lining Out Stock Now
Ready For Delivery, From The Testing
Camellia Gardens

of

E. A. McILHENNY

AVERY ISLAND, LOUISIANA



Terms and Conditions of Sale

1. Cash must accompany orders from those who have not established credit.
2. C. O. D. shipments will be made if 50% cash accompanies order.
3. Charge accounts to those who have established credit. My terms are sixty days net from date of invoice.

PACKING AT COST

**ALL PRICES F. O. B.
AVERY ISLAND, LOUISIANA**

CODE LETTERS INDICATING PRICE:

| | |
|-------------------------------|--------------------|
| AA — 8-12 inches | \$1.25 each |
| 12-18 inches | 1.75 each |
| A — 8-12 inches | .70 each |
| 12-18 inches | .90 each |
| B — 8-12 inches | .50 each |
| 12-18 inches | .70 each |
| C — 8-12 inches | .35 each |
| 12-18 inches | .50 each |

Code Letter
Indicating
Price

CAMELLIA JAPONICA:

- AA**....**Adolphe Audusson**—Finest semi-double red.
B....**Akebono**—Single, soft flesh color.
B....**Akebono Variegated**—Single, white lined with rose.
B....**Allingham**—Imb. Deep red with white spots.
A....**Albaplena Improved**—Imb. pure white.
B....**Altheaflora**—Peony-type. Deep red tipped black.
B....**Altheaflora Shell Pink**—Peony-type. Fine shell pink.
AA....**Amazing**—Imb. Purple fading to lavender.
C....**Angelo Cocchi**—Imb. Rose-pink streaked white.
C....**Arnalda De Bresia**—Imb. Deep rose base flecked rose and white.
A....**Anna Bruneau**—Imb. Light Pink with white blotches.
C....**Apple Blossom**—Single, white washed pink.
A....**Aurora**—Single, rose madder pink.
A....**Baronne Leguay**—Peony-form. Red.
B....**Beautiful**—Light rose to white.
A....**Bella Romana**—Rose streaked Vivid carmine.
A....**Belle Judita**—White, often lined pink.
B....**Boule De Neige**—Peony-type. White.
C....**Brown's Red**—Peony-form. Tyrian Rose center to pomegranate edges.
C....**Caleb Cope**—Imb. Clear rose pink.
A....**Candidissima**—Imb. pure white.
C....**Cameo Pink**—Small, Light Pink.
A....**Centifolia Alba**—Imb. White.
A....**Chandlerii Elegans**—Deep Rose Pink.
AA....**Chandlerii Rubra**—Semi-double. Deep rose pink tipped red.
C....**Chandlerii**—Original small blossom from which Chandlerii Elegans came.
B....**Cheerful**—Double. Dark pink.
B....**Cherokee**—Single. Rose madder and Alizarin crimson.
B....**Chiyoda-Nishiki**—Single. Rose red, mottled white.
-

Code Letter Indicating Price **CAMELLIA JAPONICA (Continued)**

- B....**Clarke Red**—Imb. Dark red.
- AA....**C. M. Hovey**—Imb. Some petals red, others white.
- B....**Compacta Alba**—Imb. Pure white.
- A....**Comtesse Lavinia Maggi**—Imb. White background, striated red.
- A....**Comtesse Neiport**—White background blotched and striped red.
- A....**Conspicua**—Semi-double. Warm red.
- B....**Cruciata**—Peony-type. Deep rose pink to rose red at the base.
- A....**Cup of Beauty**—White ground suffused rose pink.
- A....**Daikagura**—Double. Deep rich pink.
- A....**Daikagura Variegated**—Peony-form. Bright rose red, splotched white.
- A....**Dante**—Imb. White with golden base at the foot of each petal.
- A....**Darsii**—Semi-double. Firey red.
- C....**De L'Ile**—Peony-form. Rose red mottled white.
- A....**Diversaflora Plena**—Imb. Light rose red blotched white.
- C....**Dr. Oldwig Thayer**—Double. Cherry Red.
- AA....**Duc De Devonshire**—Imb. Vivid Red.
- B....**Duc De Orleans**—Ivory flecked white.
- B....**Duc De Orleans Pink**—Pink form of Duc de Orleans.
- B....**Duchesse de Orleans**—Double. Rose madder pink.
- B....**Dunlop's Imbricata**—Imb. Velvet rose mottled white.
- C....**Elena Nobile**—Imb. Bright Crimson.
- B....**Elisabeth**—Double. White with stamens of Light Red.
- B....**Ellen McKinsey**—Peony-type. Pink ground, striped pink, spotted white.
- A....**Emperor**—Peony-type. Deep Crimson.
- A....**Enrico Bettoni**—Large. Rose pink.
- B....**Fanny Bolis**—Imb. white striated with rose.
- A....**Feasti**—Imb. solid white, sometimes pink and white.
- B....**Festiva**—Imb. Light cherry veined dark cherry.
- B....**Floraplena Paeonyflora**—Peony-type. Deep rose madder.
- C....**Flore Semi-Duplex**—Semi-double. Deep pink.
- C....**Fred Sander**—Semi-double. Bright red occasionally flecked white.
- A....**General Washington**—White, some petals lined pink.
- AA....**Giante Des Batailles**—Peony-type. Red splotched white.
-

Code Letter
Indicating Price CAMELLIA JAPONICA (Continued)

- A....**Gloire De Nantes**—Semi-double. Dark red.
- B....**Gondo-Shibori**—White flushed flesh, red variegations.
- A....**Governor Mouton**—Petals blotched white, some solid red.
- AA....**H. A. Downing**—Imb. Rose red veined blood red.
- C....**Heamanthus**—Peony-type. Deep red veined Purple.
- AA....**Haku-Cho**—Double, Snow White.
- AA....**Haku-Rakuten**—Double. White.
- B....**Henri Favre**—Imb. Cherry Rose.
- A....**Hermie**—Light pink, white border, lined red.
- A....**Hermie Red**—A solid form of Hermie.
- C....**Hermosa**—Single. Pure white, sometimes striped pink and red.
- A....**Il Cygno**—Imb. Pure white.
- A....**Il Tramonto**—Imb. Rose mottled white.
- B....**Imbricata Rubra**—Double. Light red mottled white.
- A....**Imperator**—Double. Rose pink.
- B....**Imperialis**—Semi-double. Rich rose pink, flecked white.
- B....**Involutus**—Semi-double. Light rose pink, occasionally flecked white.
- C....**Italiana**—Imb. Rose.
- B....**Jarvis Red**—Semi-double. Vivid dark red.
- C....**John Lang**—Light pink washed light red.
- AA....**Julia Drayton**—Imb. Clear rose red, occasionally flecked white.
- AA....**Kellingtonia**—Peony-type. Deep red blotched white.
- A....**Kellingtonia G. S.**—Peony-type. Solid Red.
- B....**Kenny**—Deep rose pink, few white blotches.
- AA....**Kimberley**—Single. Carmine veined Garnet Brown.
- B....**Kumasaka**—Semi-peonytype. Rose red.
- AA....**Lady Clare**—Semi-double. Bright pink.
- AA....**Lady Hume's Blush**—Imb. White with blush pink base.
- AA....**Lallarook**—Imb. Light pink often has white blotches.
- A....**La Reine**—Semi-double red.
- A....**La Reine Variegated**—Sport of La Reine. Large white blotches.
- C....**Lateriatus**—Semi-double. Rose veined Tyrian Rose.
- B....**Latifolia**—Imb. Rich red with white blotches.
- AA....**Leila**—Imb. Shell pink sometimes flecked white.
- B....**Leucantha**—Semi-double. Pure white.
- C....**Linda Barry**—Semi-double. Rose to white.
- C....**Loveliness**—Semi-double. Rose Pink petals fringed Amaranth pink.

Code Letter
Indicating Price **CAMELLIA JAPONICA (Continued)**

- A**....**Madam Charles Blard**—Peony-form. Pure white.
B....**Madame LeBois**—Imb. Rose red.
AA....**Magnoliaflora**—Semi-double. Delicate flesh pink.
B....**Marchioness De Exeter**—Peony-form. Light pink flecked white.
A....**Marguerite Gouillon**—Peony-type. Light blush pink lined dark pink.
A....**Mariana Gaete**—Imb. Wine rose with light red center.
AA....**Marquisa**—Double. Rose madder pink shaded purplish blue.
A....**Mary E. M.**—Semi-double. Rose madder streaked white.
C....**Mary Mc**—Imb. spotted pink and white.
A....**Mathotiana Alba** — Double. Pure white, few streaked pink.
A....**Mathotiana Rubra**—Imb. Fire red.
B....**Mihata**—Single. Deep crimson.
C....**Minuet**—White with pink variegations.
C....**Missima**—Peony-form. Ivory white flecked light pink. Some blooms are solid red, some pink, and some pink and white.
A....**Monarch**—Peony-form. Rose red.
B....**Monjisu**—Semi-double. Vivid red.
B....**Monjisu Variegated**—Semi-double. Deep scarlet red.
B....**Montironi**—Imb. White with streaks of red.
B....**Mrs. Abby Wilder**—Imb. White flecked rose red.
B....**Mrs. William Thompson**—Semi-double. White with faint pink flush.
C....**Myorenji**—Single. Deep pink.
B....**Napoleon D'Italie**—Double. Rose red with dark red stripes.
A....**Neige D'Oree**—Double. Pure white.
B....**Nevius**—Semi-double. Creamy white.
C....**Ordino-Nishiki**—Single. White lined rose, solid rose, rose lined red, on same tree.
A....**Otome Red**—Sport of Otome. Deep cherry red.
A....**Otome**—Rosolane pink veined rose, tipped white.
B....**Owl Face**—Imb. Dark red.
AA....**Paulina**—Double. Alizarin crimson, blotched white.
B....**Peony Flora**—Peony-type. Crimson.
B....**Perfecto Variegata**—Peony-type. White blotched rich pink.
B....**Pie Ix**—Imb. Pinkish white sometimes lined pink.
B....**Pink Ball**—Peony-form. Soft shell pink.
A....**Pink Perfection**—Imb. True shell pink.
B....**Pink Star**—Semi-double. Rose Pink.
-

Code Letter
Indicating **CAMELLIA JAPONICA (Continued)**
Price

- A....Pink Pearl**—Sport of Pink Perfection. Light pink, ivory center.
- A....Preston Rose**—Peony-type. Light pink occasionally blotched white.
- C....Princess Bacchiodchi**—Imb. Red, some petals blotched white.
- A....Prof. C. S. Sargent**—Double. Crimson.
- B....Punctata Boutourlin**—Peony-form. Rose flecked white.
- AA....Purple Dawn**—Double. Deep red purple.
- C....Quartette**—Semi-double. Red, white, pink, and variegated blooms.
- B....Rainy Sun**—Semi-double. Deep rose red.
- C....Reine Des Fleurs**—Double. Deep rose red with few flecks of white.
- B....Reine Maria Henriette**—Imb. Rose often dotted pure white.
- AA....Rev. John Bennett**—Single. Rose madder streaked white.
- B....Refinement**—Imb. Pure White.
- C....Rogetsu**—Single White.
- B....Roi Leopold**—Imb. Bright rose red.
- B....Rose Emry**—Imb. Light red.
- C....Rosita (Calif.)**—Imb. Rose pink faintly blotched white.
- C....Rose Pink**—Semi-double. Light rose veined white.
- B....Rosularis**—Peony-type. White heavily blotched white.
- AA....Rubens**—Deep rose with large white spots.
- B....Rubra Virginialis**—Peony-type. Light pink.
- B....Saifu**—Semi-double. Dark red washed purple, splotched white.
- C....Sangdon**—Semi-double. Shell Pink.
- B....Sanko-Nishiki**—Single. Soft Pink.
- AA....Sara C. Hastie**—Peony-type. Rose madder pink.
- C....Sarah Frost Improved**—Imb. Tyrian Pink veined Purple.
- A....Semi-Double Flush**—Semi-double. Light shell pink.
- C....Shell Pink**—Peony-type. Shell pink.
- C....Single Red**—Single. Red.
- B....Snow Drift**—Semi-double. Snow white.
- AA....Sou. De Bahaud Litou**—Imb. Soft Rose.
- C....Striata**—Single. Deep rose pink shading to crimson at the tips.
- B....Subijin**—Single. Delicate pink.
- A....Sunrise**—Imb. Clear rose pink.
- B....Tennin-Kwan**—Semi-double. White splashed on crimson.

Code Letter
Indicating
Price **CAMELLIA JAPONICA (Continued)**

- B....**Teutonia**—Imb. White lined with rose.
- C....**T. K. Variegated**—Semi-double. Light pink edged dark pink.
- B....**Theresa Massina**—Small. Light red.
- A....**Tokayama**—Imb. Crimson Red.
- B....**Tricolor**—Semi-double. White striped and flecked Pink & Light Red.
- C....**Tricolor Spotted**
- C....**Tricolor Calif.**—Semi-peony-type. White dashed rose red & Pink.
- A....**Tutcheria**
- A....**William L. Downing**—Semi-double. Purplish pink or red.
- C....**Yamato-Nishiki**—Single. White striped red.
- C....**Yamato-Nishiki-Rose**—Single. Rose colored.

●

CAMELLIA SASANQUA:

- B....**Blush Pink**—Single. Broad petals, Pink.
- A....**Cleopatra**—Light rose red washed white.
- C....**Dawn**—Semi-double. Daphne Pink.
- B....**Double White**—Pure white.
- C....**Hatsu-Yuki**—Single. White tipped Deep Rose Pink.
- A....**Homare-No-Nishiki**—Light red shading to rose at center & base.
- A....**Mine-No-Yuki**—Single White washed Pale Amaranth Pink.
- A....**Miodoroki**—Semi-double. White washed Pale Pink.
- C....**Red**—Single red.
- B....**Sankow**—Semi-double. White lightly washed Rose Pink.
- C....**Shishigashira**—Bright rose red.
- C....**Single Light Pink**—Single. Light pink.
- C....**Single Pink & White**—Single. White tipped rose pink.
- C....**Single Red**—Rose red.
- C....**Single White**—White tipped flesh.
- B....**Taimei-Nishiki**—Single. Madder pink with occasional white fleck.
- A....**Totenko**—Single. Light Pink.
- A....**White Dove**—Double, white.

CODE LETTERS INDICATING PRICE:

| | | | |
|-------------|--------------------|--------|------|
| AA — | 8-12 inches | \$1.25 | each |
| | 12-18 inches | 1.75 | each |
| A — | 8-12 inches | .70 | each |
| | 12-18 inches | .90 | each |
| B — | 8-12 inches | .50 | each |
| | 12-18 inches | .70 | each |
| C — | 8-12 inches | .35 | each |
| | 12-18 inches | .50 | each |

CARE OF CAMELLIAS:

When planting a camellia, be sure that the hole is dug much larger than the ball of earth encasing the roots. Fill the hole with a loose top soil rich in humus and fertilizer, and work in well. Take out sufficient soil to make room for the plant, then set plant two inches higher than ground level. Firm earth as it is filled into the hole, and water thoroughly.

Camellias should be fertilized twice a year—in March and June. Scarify the ground to the depth of one inch from the base of the plant to the outside tips of twigs. Sprinkle the loose earth liberally with an acid fertilizer. A good mixture is:

6 parts Cottonseed Meal
4 parts Phosphoric Acid
3 parts Sulphate of Potash

(I use VIGORO), then cover with a two inch mulch of any loose material.

Camellias will die if the stalk is covered with more than two inches of earth. Camellias will die, if the roots remain soaking in wet earth for any considerable time. They will not tolerate "wet feet".

A few varieties of camellias have so many petals in each bud, that the blossoms do not open satisfactorily. This is a varietal fault.

Where camellias growing in the open are subject to heavy freezing while in bud, if the bud is frozen through it will turn brown and fall off. This bud-shedding can be avoided by covering the plants during freezes with a couple of thicknesses of heavy cotton or other fabric, which should be removed as soon as the air is above the freezing point.

Camellias are hosts for a number of varieties of scale insects which, if not controlled, will kill the plant. Three sprayings ten days apart with any good oil emulsion will kill any scale. I use VOLCK.

A fungus disease attacks the inner layer of bark, and sometimes causes limbs or twigs to die back. The only cure is the cutting off of the affected part as soon as it begins to wither. Be sure to make the cut some distance below the part affected.

Camellias often develop brown spots on the leaves of perfectly healthy plants. These spots may be from either sunburn or from a fungus growth. Neither are dangerous, and should cause no worry.

NOW READY

A complete list, with descriptions and synonyms, of over 700 varieties of Camellias now growing in my gardens.

Price50